

Orthopädie und Unfallchirurgie Publikationen 2016

Ahmad SS, Albers CE, Buchler L, Kohl S, Ahmad SS, Klenke F, Siebenrock KA, Beck M. The hundred most cited publications in orthopaedic hip research - a bibliometric analysis. *Hip Int* 2016; 26(2):199-208.

Bader T, Strobel K, Egger-Sigg M, Diebold J, Beck M. FDG PET/MRI Imaging of an Angiosarcoma in a Popliteal Aneurysm and Tibial Head After Popliteal Graft. *Clin Nucl Med* 2016; 41(9):e426-7.

Beeres FJP, Oehme F, Babst R. Distale Humerusfraktur – Zugänge und Erweiterungen Oper Orthop Traumatol 2016; Dez 5 (Epub ahead of print).

Buchler L, Schwab JM, Whitlock PW, Beck M, Tannast M. Intraoperative Evaluation of Acetabular Morphology in Hip Arthroscopy Comparing Standard Radiography Versus Fluoroscopy: A Cadaver Study. *Arthroscopy* 2016; 32(6):1030-7.

Diwersi N, Babst R, Link BC. Miniplatten als Ergänzungsimplantat bei der Osteosynthese komplexer distaler Radiusfrakturen. *Oper Orthop Traumatol* 2016; 28(5):402-6.

Drijckoningen T, Knoter R, Coerkamp EG, Koning AHJ, Rhemrev SJ, Beeres FJ. Interobserver agreement between 2-dimensional CT versus 3-dimensional I-Space model in the Diagnosis of Occult Scaphoid Fractures. *Arch Bone Jt Surg* 2016; 4(4):343-7.

Forster-Horvath C, Artz N, Hassaballa MA, Robinson JR, Porteous AJ, Murray JR, Newman JH. Survivorship and clinical outcome of the minimally invasive Uniglide medial fixed bearing, all-polyethylene tibia, unicompartmental knee arthroplasty at a mean follow-up of 7.3 years. *Knee* 2016; 23(6):981-6. (Epub ahead of print).

Forster-Horvath C, Domb BG, Ashberg L, Herzog RF. A method for capsular management and avoidance of iatrogenic instability: minimal invasive capsulotomy in hip arthroscopy. *Arthroscopy* (im Druck).

Forster-Horvath C, von Rotz N, Giordano BD, Domb BG. Acetabular Labral Debridement/Segmental Resection Versus Reconstruction in the Comprehensive Treatment of Symptomatic Femoroacetabular Impingement: A Systematic Review. *Arthroscopy* 2016; 32(11):2401-15.

Gieger J, Beeres F, Birrer K, Babst R. Misalignment of the clavicle after intramedullary fixation of a midshaft fracture with a titanium elastic nail results in acute neurovascular thoracic outlet syndrome. *J Shoulder Elbow Surg* 2016; 25(4):e110-4.

Gutler J, Hug U, Link BC, Fritsche E. Therapie eines osteofasciocutanen Femurdefektes mit in Reihe geschalteter Durchflusssappenplastik. *Orthopäde* 2016; 45(5):452-5.

Griffin DR, Dickenson EJ, O'Donnell J, Agricola R, Awan T, Beck M, Clohisy JC, Dijkstra HP, Falvey E, Gimpel M, Hinman RS, Holmich P, Kassarian A, Martin HD, Martin R, Mather RC, Philippon MJ, Reiman MP, Takla A, Thorborg K, Walker S, Weir A, Bennell KL. The Warwick Agreement on femoroacetabular impingement syndrome (FAI syndrome): an international consensus statement. *Br J Sports Med* 2016; 50(19):1169-76.

Iselin LD, Massy-Budmiger AS, Droeser RA, Mett TR, Babst R, Rikli DA. Ten Years Follow-Up on Combined Palmar and Dorsal Internal Fixation of Complex Distal Radius Fractures. *Medicine* 2016; 95(18):e3509.

Woltz S, Duijff JW, Hoogendoorn JM, Rhemrev SJ, Breederveld RS, Schipper IB, Beeres FJ. Reconstruction plates for midshaft clavicular fractures: A retrospective cohort study. *Orthop Traumatol Surg Res* 2016; 102(1):25-9.

Wyatt M, Weidner J, Pfluger D, Beck M. The RM Pressfit vitamys: 5-year Swiss experience of the first 100 cups. *Hip Int* (im Druck).

Wyatt M, Weidner J, Pfluger D, Beck M. The Femoro-Epiphyseal Acetabular Roof (FEAR) Index: A New Measurement Associated With Instability in Borderline Hip Dysplasia? *Clin Orthop Relat Res* 2016; Oct 28 (Epub ahead of print).

Zurmuhle CA, Anwander H, Albers CE, Hanke MS, Steppacher SD, Siebenrock KA, Tannast M. Periacetabular Osteotomy Provides Higher Survivorship Than Rim Trimming for Acetabular Retroversion. *Clin Orthop Relat Res* 2016; Dec 5 (Epub ahead of print).

Orthopädie und Unfallchirurgie Publikationen 2015

- Barandun M, Iselin LD, Santini F, Pansini M, Scotti C, Baumhoer D, Bieri O, Studler U, Wirz D, Haug M, Jakob M, Schaefer DJ, Martin I, Barbero A. Generation and characterization of osteochondral grafts with human nasal chondrocytes. *J Orthop Res* 2015;33:1111-9.
- Baumgärtner R, Heeren N, Quast D, Babst R, Brunner A. Is the cortical thickness index a valid parameter to assess bone mineral density in geriatric patients with hip fractures? *Arch Orthop Trauma Surg* 2015;135:805-10.
- Beck M, Büchler L, Ganz R, Leunig M. Anatomy of the proximal femur. In: Clohisy JC, Beaule PE, Della Valle DJ et al., eds. *The Adult Hip: Hip Preservation Surgery*. Third Edition. Philadelphia: Wolters Kluwer; 2015:55-62.
- Beck M, Krüger A, Katthagen C, Kohl S. Osteotomy of the greater trochanter: effect on gluteus medius function. *Surg Radiol Anat* 2015;37:599-607.
- Beck M, Lash NJ, Ganz R. Surgical Technique: Periacetabular Osteotomy. In: Nho S, Leunig M, Larson CM, Bedi A and Kelly BT, eds. *Hip Arthroscopy and Hip Joint Preservation Surgery*. New York: Springer; 2015:599-617.
- Beck M, Schoeniger R. FAI - Acetabular retroversion. In: Clohisy JC, Beaule PE, Della Valle DJ et al., eds. *The Adult Hip: Hip Preservation Surgery*. Third Edition. Philadelphia: Wolters Kluwer; 2015:477-86.
- Bertolo A, Häfner S, Taddei AR, Baur M, Pötzel T, Steffen F, Stoyanov J. Injectable microcarriers as human mesenchymal stem cell support and their application for cartilage and degenerated intervertebral disc repair. *Eur Cell Mater* 2015;29:70-81.
- Brunner A, Siebert C, Stieger C, Kastius A, Link BC, Babst R. The dorsal tangential X-ray view to determine dorsal screw penetration during volar plating of distal radius fractures. *J Hand Surg Am* 2015;40:27-33.
- Camenzind RS, Steurer-Dober I, Beck M. Clinical and radiographical results of labral reconstruction. *J Hip Preserv Surg* 2015:hmv062.
- de Zwart AD, Beeres FJ, Rhemrev SJ, Bartlema K, Schipper IB. Comparison of MRI, CT and bone scintigraphy for suspected scaphoid fractures. *Eur J Trauma Emerg Surg* 2015:[Epub ahead of print].
- de Zwart AD, Beeres FJ, Rietbergen DD, Krijnen P, Schipper IB. Initial experience of SPECT/CT in the diagnosis of occult scaphoid fracture. *Acta Radiol Open* 2015;4:2058460115602729.
- de Zwart AD, Beeres FJP, Pillay M, Kingma LM, Schipper IB, Rhemrev SJ. Radiation Exposure due to CT of the Scaphoid in Daily Practice. *J Nucl Med Radiat Ther* 2015;6:233.
- Gruetter F, Rudkin G, Stavrou P, Dracopoulos G, Jakob M, Iselin LD. Use of peripheral blocks and tourniquets in foot surgery: A survey of Australian orthopaedic foot and ankle surgeons. *Foot Ankle Surg* 2015;21:282-5.
- Guevara-Alvarez A, Lash N, Beck M. Femoral head-neck junction reconstruction, after iatrogenic bone resection. *J Hip Preserv Surg* 2015;2:190-3.
- Iselin LD, Klammer G, Espinoza N, Symeonidis PD, Iselin D, Stavrou P. Surgical management of hallux valgus and hallux rigidus: an email survey among Swiss orthopaedic surgeons regarding their current practice. *BMC Musculoskelet Disord* 2015;16:292.
- Kalhor M, Gharehdaghi J, Schoeniger R, Ganz R. Reducing the risk of nerve injury during Bernese periacetabular osteotomy: a cadaveric study. *Bone Joint J* 2015;97-B:636-41.
- Leumann A, Iselin L. Sehnen - Morphologie, Biologie und Biomechanik. *Schweizerische Zeitschrift für Sportmedizin und Sporttraumatologie* 2015;63:6-10.
- Leunig M, Freeman CR, Ganz R, Beck M. Anatomy of Acetabulum. In: Clohisy JC, Beaule PE, Della Valle DJ et al., eds. *The Adult Hip: Hip Preservation Surgery*. Third Edition. Philadelphia: Wolters Kluwer; 2015:42-54.

Link BC, Gütler J, Babst R. Repositionstechniken in der konservativen und operativen Frakturbehandlung – Schulter und Oberarm. M·O·T 2015;26-30.

Rohner-Spengler M, Studer F. Sturzprävention in der Hausarztpraxis: Probleme ansprechen, Risikoscreening durchführen und Prävention einleiten. Hausarzt Praxis 2015;10:10-4.

Toft F, Anliker E, Beck M. Is labral hypotrophy correlated with increased acetabular depth? J Hip Preserv Surg 2015;2:175-83.

van de Pol GJ, Iselin LD, Callary SA, Thewlis D, Jones CF, Atkins GJ, Solomon LB. Impaction bone grafting has potential as an adjunct to the surgical stabilisation of osteoporotic tibial plateau fractures: Early results of a case series. Injury 2015;46:1089-96.

Orthopädie und Unfallchirurgie Publikationen 2014

Audigé L, Kellam JF, Lambert S, Madsen JE, Babst R, Andermahr J, Li W, Jaeger M. The AO Foundation and Orthopaedic Trauma Association (AO/OTA) scapula fracture classification system: focus on body involvement. J Shoulder Elbow Surg 2014;23:189-96.

Beck M, Büchler L, Ganz R, Leunig M. Anatomy of the proximal femur. In: Callaghan JJ, Rosenberg AG, Rubash HE, Clohisy J, Beaulé P, DellaValle C, Eds. The adult hip: hip preservation surgery. Third Ed. Philadelphia: Wolters Kluwer; 2014:55-62.

Beck M, Lash NJ, Ganz R. Surgical technique: periacetabular osteotomy. In: Nho S, Leunig M, Kelly B, Bedi A, Larson C, Eds. Hip arthroscopy and hip joint preservation surgery. New York: Springer; 2014:599-617.

Beck M, Schoeniger R. FAI - acetabular retroversion. In: Callaghan JJ, Rosenberg AG, Rubash HE, Clohisy J, Beaulé P, DellaValle C, Eds. The adult hip: hip preservation surgery. Third Ed. Philadelphia: Wolters Kluwer; 2014: 477-86.

Bruinsma WE, Guitton T, Ring D, Science of Variation Group. Radiographic loss of contact between radial head fracture fragments is moderately reliable. Clin Orthop Relat Res 2014;472:2113-9.

Brunner A, Siebert C, Stieger C, Kastius A, Link BC, Babst R. The dorsal tangential x-ray view to determine dorsal screw penetration during volar plating of distal radius fractures. J Hand Surg Am 2014:[Epub ahead of print].

Büchler L, Beck M. Periacetabular osteotomy: a review of Swiss experience. Curr Rev Musculoskelet Med 2014;7:330-6.

Iselin LD, Mett T, Babst R, Jakob M, Rikli D. The triceps reflecting approach (Bryan-Morrey) for distal humerus fracture osteosynthesis. BMC Musculoskelet Disord 2014;15:406.

Leunig M, Freeman C, Ganz R, Beck M. Anatomy of acetabulum. In: Callaghan JJ, Rosenberg AG, Rubash HE, Clohisy J, Beaulé P, DellaValle C, Eds. The adult hip: hip preservation surgery. Third Ed. Philadelphia: Wolters Kluwer; 2014:42-54.

Link BC, Apivattthakakul T, Hill BW, Cole PA, Babst R. Minimally invasive plate osteosynthesis (MIPO) of periprosthetic femoral fractures with percutaneous cerclage wiring for fracture reduction: tips and technique. JBJS Essent Surg Tech 2014;4:[Epub].

Osinga R, Bodmer ES, Link BC, Fritzsche E, Haug M, Hug U. [Long-term outcome after surgical treatment of breast asymmetry: analysis of the patient's perspective in 51 cases]. Handchir Mikrochir Plast Chir 2014;46:330-5.

Rohner-Spengler M, Frotzler A, Honigsmann P, Babst R. Effective treatment of posttraumatic and postoperative edema in patients with ankle and hindfoot fractures: a randomized controlled trial comparing multilayer compression therapy and intermittent impulse compression with the standard treatment with ice. J Bone Joint Surg Am 2014;96:1263-71.

Tibor LM, Beck M. Treatment of labral pathology: reattachment and replacement. In: Haddad FS, Ed. The young adult hip in sport. London: Springer; 2014:213-29.

Vay C, Hosch SB, Stoecklein NH, Klein CA, Vallböhmer D, Link BC, Yekebas EF, Izbicki JR, Knoefel WT, Scheunemann P. Integrin expression in esophageal squamous cell carcinoma: loss of the physiological integrin expression pattern correlates with disease progression. *PLoS One* 2014;9:[Epub].

Orthopädie Publikationen 2013

Büchler L, Neumann M, Schwab JM, Iselin L, Tannast M, Beck M. Arthroscopic versus open cam resection in the treatment of femoroacetabular impingement. *Arthroscopy* 2013;29:653-60.

Unfallchirurgie Publikationen 2013

Audigé L, Kellam JF, Lambert S, Madsen JE, Babst R, Andermahr J, Li W, Jaeger M. The AO Foundation and Orthopaedic Trauma Association (AO/OTA) scapula fracture classification system: focus on body involvement. *J Shoulder Elbow Surg* 2013:[Epub ahead of print].

Bruinsma WE, Guitton TG, Warner JJ, Ring D, Science of Variation Group. Interobserver reliability of classification and characterization of proximal humeral fractures: a comparison of two and three-dimensional CT. *J Bone Joint Surg Am* 2013;95:1600-4.

Hageman MG, Guitton TG, Ring D, Science of Variation Group. How surgeons make decisions when the evidence is inconclusive. *J Hand Surg Am* 2013;38:1202-8.

Jaeger M, Lambert S, Südkamp NP, Kellam JF, Madsen JE, Babst R, Andermahr J, Li W, Audigé L. The AO Foundation and Orthopaedic Trauma Association (AO/OTA) scapula fracture classification system: focus on glenoid fossa involvement. *J Shoulder Elbow Surg* 2013;22:512-20.

Lambert S, Kellam JF, Jaeger M, Madsen JE, Babst R, Andermahr J, Li W, Audigé L. Focussed classification of scapula fractures: failure of the lateral scapula suspension system. *Injury* 2013;44:1507-13.

Schwappach DL, Frank O, Buschmann U, Babst R. Effects of an educational patient safety campaign on patients' safety behaviours and adverse events. *J Eval Clin Pract* 2013;19:285-91.

van Kollenburg JA, Vrahas MS, Smith RM, Guitton TG, Ring D, Science of Variation Group. Diagnosis of union of distal tibia fractures: accuracy and interobserver reliability. *Injury* 2013;44:1073-5.

Orthopädie Publikationen 2012

Beck M, Chegini S, Ferguson S, Hosalkar HS. Mechanism of femoroacetabular impingement. In: Marin-Peña O, Ed. *Femoroacetabular impingement*. Berlin, Heidelberg: Springer; 2012:9-23.

Beck M, Delfosse D, Lerf R, Becker R, French G, Hollmann L, Knahr K, Naeder H, Meijer E, Rehbein P, Baines J, Steenmeijer V, de Gast A. Oxidation prevention with vitamin E in a HXLPE isoelastic monoblock pressfit cup: Preliminary results. In: Knahr K, Ed. *Total hip arthroplasty: wear behaviour of different articulations / EFORT Reference in Orthopaedics and Traumatology*. Berlin, Heidelberg: Springer; 2012:21-33.

Howie DW, Beck M, Costi K, Pannach SM, Ganz R. Mentoring in complex surgery: minimising the learning curve complications from peri-acetabular osteotomy. *International orthopaedics* 2012;36:921-5.

Kalhor M, Horowitz K, Gharehdaghi J, Beck M, Ganz R. Anatomic variations in femoral head circulation. *Hip Int* 2012;22:307-12.

Kohl S, Evangelopoulos DS, Siebenrock KA, Beck M. Hip abductor defect repair by means of a vastus lateralis muscle shift. *J Arthroplasty* 2012;27:625-9.

Peters CL, Beaulé PE, Beck M, Tannast M, Jiranek W, Sierra RJ. Report of breakout session: Strategies to improve hip preservation training. *Clin Orthop Relat Res* 2012;470:3467-9.

Solomon LB, Guevara C, Büchler L, Howie DW, Byard RW, Beck M. Does bone wax induce a chronic inflammatory articular reaction? *Clin Orthop Relat Res* 2012;470:3207-12.

Weidner J, Büchler L, Beck M. Hip capsule dimensions in patients with femoroacetabular impingement: a pilot study. *Clin Orthop Relat Res* 2012;470:3306-12.

Unfallchirurgie Publikationen 2012

Babst R, Bavonratanevech S, Pesantez R. Minimally invasive plate osteosynthesis. 2nd expanded Ed. Stuttgart: Thieme; 2012.

Brunner A, Heeren N, Albrecht F, Hahn M, Ulmar B, Babst R. Effect of three-dimensional computed tomography reconstructions on reliability. *Foot Ankle Int* 2012;33:727-33.

Brunner A, Müller J, Regazzoni P, Babst R. Open reduction and internal fixation of OTA type C2-C4 fractures of the calcaneus with a triple-plate technique. *J Foot Ankle Surg* 2012;51:299-307.

Brunner A, Resch H, Babst R, Kathrein S, Fierlbeck J, Niederberger A, Schmölz W. The Humerusblock NG: A new concept for stabilization of proximal humeral fractures and its biomechanical evaluation. *Arch Orthop Trauma Surg* 2012;132:985-92.

Brunner A, Thormann S, Babst R. [Minimally invasive plating osteosynthesis of proximal humeral shaft fractures with long PHILOS plates]. *Oper Orthop Traumatol* 2012;24:302-11.

Brunner A, Thormann S, Babst R. Minimally invasive percutaneous plating of proximal humeral shaft fractures with the Proximal Humerus Internal Locking System (PHILOS). *J Shoulder Elbow Surg* 2012;21:1056-63.

Harvey E, Audigé L, Herscovici D, Jr., Agel J, Madsen JE, Babst R, Nork S, Kellam J. Development and validation of the new international classification for scapula fractures. *J Orthop Trauma* 2012;26:364-9.

Jaeger M, Lambert S, Südkamp NP, Kellam JF, Madsen JE, Babst R, Andermahr J, Li W, Audigé L. The AO Foundation and Orthopaedic Trauma Association (AO/OTA) scapula fracture classification system: Focus on glenoid fossa involvement. *J Shoulder Elbow Surg* 2012:[Epub ahead of print].

Link BC, Babst R. Current concepts in fractures of the distal femur. *Acta Chir Orthop Traumatol Cech* 2012;79:11-20.

Link BC, Rosenkranz J, Winkler J, Babst R. [Minimally invasive plate osteosynthesis of the distal femur]. *Oper Orthop Traumatol* 2012;24:324-34.

Schwappach DL, Frank O, Buschmann U, Babst R. Effects of an educational patient safety campaign on patients' safety behaviours and adverse events. *J Eval Clin Pract* 2012:[Epub ahead of print].

Orthopädie Publikationen 2011

Beck M. Letter to the editor: Cams and pincer impingement are distinct, not mixed: the acetabular pathomorphology of femoroacetabular impingement. *Clin Orthop Relat Res* 2011;469:1207; author reply 8-9.

Beck M. Dysplasia in the Adult. In: Ranawat A, Kelly BT, eds. *Musculoskeletal examination of the hip and knee*. Thorofare, NJ: Slack 2011.

Beck M. The Bernese periacetabular osteotomy for hip dysplasia and acetabular retroversion. In: Sekiya JK, Safran MR, Ranawat A, Leunig M, eds. *Techniques in hip arthroscopy and joint preservation surgery*. Philadelphia, PA: Saunders; 2011.

Beck M, Büchler L. Prevalence and impact of pain at the greater trochanter after open surgery for the treatment of femoro-acetabular impingement. *J Bone Joint Surg Am* 2011;93 Suppl 2:66-9.

Dudda M, Mamisch TC, Krueger A, Werlen S, Siebenrock KA, Beck M. Hip arthroscopy after surgical hip dislocation: is predictive imaging possible? *Arthroscopy* 2011;27:486-92.

Ganz R, Beck M, Leunig M, Südkamp N, Trentz O. Nonunion of the femoral neck secondary to femoro-acetabular impingement. In: Marti RK, Kloen P, eds. *Concept and Cases in Nonunion Treatment*. Stuttgart: Thieme; 2011:452-75.

Howie DW, Beck M, Costi K, Pannach SM, Ganz R. Mentoring in complex surgery: minimising the learning curve complications from peri-acetabular osteotomy. *Int Orthop* 2011:[Epub ahead of print].

Kohl S, Evangelopoulos DS, Siebenrock KA, Beck M. Hip Abductor Defect Repair by Means of a Vastus Lateralis Muscle Shift. *J Arthroplasty* 2011:[Epub ahead of print].

Neumann M, Nyffeler R, Beck M. Comminuted fractures of the radial head and neck: is fixation to the shaft necessary? *J Bone Joint Surg Br* 2011;93:223-8.

Unfallchirurgie Publikationen 2011

Birke-Sorensen H, Malmsjo M, Rome P, Hudson D, Krug E, Berg L, Bruhin A, Caravaggi C, Chariker M, Depoorter M, Dowsett C, Dunn R, Duteille F, Ferreira F, Francos Martinez JM, Grudzien G, Ichioka S, Ingemansson R, Jeffery S, Lee C, Vig S, Runkel N, Martin R, Smith J. Evidence-based recommendations for negative pressure wound therapy: treatment variables (pressure levels, wound filler and contact layer)--steps towards an international consensus. *J Plast Reconstr Aesthet Surg* 2011;64 Suppl:S1-16.

Brunner A, Thormann S, Babst R. Minimally invasive percutaneous plating of proximal humeral shaft fractures with the Proximal Humerus Internal Locking System (PHILOS). *J Shoulder Elbow Surg* 2011:[Epub ahead of print].

Hoigné D, Hauck R, Babst R. Technique for intraoperative determination of femoral rotation with a lateral femur nail (LFN, Synthes, Oberdorf, Switzerland). *Arch Orthop Trauma Surg* 2011;131:1649-54.

Kaiser T, Brunner A, Hohendorff B, Ulmar B, Babst R. Treatment of supra- and intra-articular fractures of the distal humerus with the LCP Distal Humerus Plate: a 2-year follow-up. *J Shoulder Elbow Surg* 2011;20:206-12.

Nagler M, Erne P, Babst R, Korte W, Willemin WA. Periinterventionelles Management der Antikoagulation und Antiaggregation. *Schweiz Med Forum* 2011;11:407-12.

Rosenkranz J, Babst R. Spezielle chirurgische Prinzipien in der Behandlung des traumatischen Abdomens. In: Schumpelick V, ed. *Gastroenterologische Chirurgie* 3rd ed. Heidelberg: Springer; 2011:256-73.

Runkel N, Krug E, Berg L, Lee C, Hudson D, Birke-Sorensen H, Depoorter M, Dunn R, Jeffery S, Duteille F, Bruhin A, Caravaggi C, Chariker M, Dowsett C, Ferreira F, Martinez JM, Grudzien G, Ichioka S, Ingemansson R, Malmsjo M, Rome P, Vig S, Martin R, Smith J. Evidence-based recommendations for the use of Negative Pressure Wound Therapy in traumatic wounds and reconstructive surgery: steps towards an international consensus. *Injury* 2011;42 Suppl 1:S1-12.

van Middendorp JJ, Kazacsay F, Lichtenhahn P, Renner N, Babst R, Melcher G. Outcomes following operative and non-operative management of humeral midshaft fractures: a prospective, observational cohort study of 47 patients. *Eur J Trauma Emerg Surg* 2011;37:287-96.

Orthopädie Publikationen 2010

Kalhor M, Horowitz K, Beck M, Nazparvar B, Ganz R. Vascular supply to the acetabular labrum. *J Bone Joint Surg Am* 2010; 92(15): 2570-5.

Solomon LB, Lee YC, Callary SA, Beck M, Howie DW. Anatomy of piriformis, obturator internus and obturator externus: implications for the posterior surgical approach to the hip. *J Bone Joint Surg Br* 2010; 92(9): 1317-24.

Unfallchirurgie Publikationen 2010

Brunner A, Horisberger M, Ulmar B, Hoffmann A, Babst R. Classification systems for tibial plateau fractures; does computed tomography scanning improve their reliability? *Injury* 2010; 41(2): 173-8.

Brunner A, Weller K, Thormann S, Jöckel JA, Babst R. Closed reduction and minimally invasive percutaneous fixation of proximal humerus fractures using the Humerusblock. *J Orthop Trauma* 2010; 24(7): 407-13.

Jöckel JA, Brunner A, Thormann S, Babst R. Elastic stabilisation of proximal humeral fractures with a new percutaneous angular stable fixation device (ButtonFix®): a preliminary report. *Arch Orthop Trauma Surg* 2010; 130(11): 1397-403.

Wieser K, Babst R. Fixation failure of the LCP proximal femoral plate 4.5/5.0 in patients with missing posteromedial support in unstable per-, inter-, and subtrochanteric fractures of the proximal femur. Arch Orthop Trauma Surg 2010; 130(10): 1281-7.